



*INNOVATIVE SOLUTIONS FOR ROPEWAY TRANSPORTATION* //////////////////////////////////



# SURFACE LIFT **Spare parts** CATALOG

LST, a company of



A major industrial player, LST wants to set the course for ropeway transportation in the future, realizing innovative solutions, with a modern and sustainable design. LST has already completed more than 700 installations in nearly 30 countries worldwide.

Thanks to its commitment to quality, safety, innovation and respect for the environment, LST aims to offer its customers the best solutions for transporting people in mountainous, touristic or urban areas with comfort and speed.

With ropeway transportation it is possible to make tourist destinations accessible, recreational facilities even more attractive, and solve urban congestion problems.

**CERTIFICATION**  
*ISO 9001 (Quality)*  
*ISO 14001 (Environment)*  
*EN 1090 (Welding)*



Management  
System  
ISO 9001:2008  
ISO 14001:2004

[www.tuv.com](http://www.tuv.com)  
ID 9105043112





*SUPPORT, FLEXIBILITY  
AND QUALITY OF SERVICE*



One partner, many solutions



*+Over 10% of turnover invested in R&D each year*

*Over 25 engineers and technicians in R&D*

*over 700 ropeways installed*

*30 years of experience*

*Many patents registered every year*

This membership in the Group has enabled us to quickly find our place among the international market leaders of cable transport.



***DISTRIBUTION SUBSIDIARIES:*** Austria, China, Italy, Spain, Sweden, Switzerland, Turkey and USA.

***A NETWORK OF DISTRIBUTORS*** worldwide; located on our website.



## SERVICES

## SERVICES

*Support for the operation and maintenance of your equipment*



**PRE-PROGRAMMED CMMS\*, SIMPLIFIED OPERATION**

***OUR CMMS\* SOFTWARE WILL ALLOW YOU TO ACCURATELY MANAGE THE LIFE OF YOUR EQUIPMENT.***

- Planning of operations and maintenance tasks
- Rigorous monitoring of costs during all the stages of life of the appliance
- Provision of maintenance documents
  - Procedures
  - Notices
- Management of technician qualifications




\* Computer Assisted Maintenance Management



## ***SPARE PARTS CATALOG FOR SIMPLE MAINTENANCE***

The after-sales service offers all the spare parts for wear and safety that are useful for your maintenance phases.

- High stock of components
  - For emergencies
  - For routine maintenance
- Shipping within 24 hours for stored components
- Catalog available on [www.lst.eu](http://www.lst.eu)
  - Conveyors
  - Ropeways
  - Surgace lifts



---

## ***TRAINING FOR YOUR EMPLOYEES***

The LST training center welcomes you to our facilities in Sainte-Hélène-du-Lac for training courses adapted to the maintenance of your installations.

- Qualifying training courses
- Approved training center
- Improved maintenance



---

## ***A WIND OF MODERNITY ON YOUR DOMAINS***

LST offers you all its know-how to consolidate and retrofit your devices.

- Improved security level through the SEGATE product, our restraining bar closing detection.
- Optimization of operating conditions thanks to our canopy adaptable on all conveyors.

Our retrofits will extend the life of your devices.

## SURFACE LIFT

*Meets requirements, Easy to operate, Maintainability*



**A FULL RANGE OF SURFACE LIFTS**

### *Key features* .....

- Station bolted onto concrete foundations or metal support
- Station with cross-arm for sheave train
- Electrical motor controlled by variable frequency drive
- Suspended motor and anti-rollback ratchet system on gearbox
- Ø250mm sheaves for silent operation and minimum wear
- Galvanised steel structure
- Optional angle station on the uphill side available

Complies with European standards with safety devices certified according to the European directive 2000/9/CE.




## Technical specifications .....

|                          | EURO                                    | HYDRO 470                               | HYDRO 550                               | LA                                      |
|--------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
| DRIVE STATION            | Fixed                                   | Tensioning                              | Tensioning                              | Fixed                                   |
| ELECTRICAL MOTOR         | Up to 22 kW                             | Up to 45 kW                             | Up to 75 kW                             | Up to 200 kW                            |
| BRAKE                    | Electromechanical plus mechanical brake | Electromechanical plus mechanical brake | Electromechanical plus mechanical brake | Electromechanical plus mechanical brake |
| SPEED                    | Up to 2.5 m/s                           | Up to 3.5 m/s                           | Up to 3.5 m/s                           | Up to 3.5 m/s                           |
| LINE GAUGE               | 2 m                                     | 2.5 or 3 m                              | 2.5 or 3 m                              | 2.5 or 3 m                              |
| TOWER HEIGHT             | 6 m                                     | 7 or 8 m                                | 7 or 8 m                                | 7 or 8 m                                |
| TYPE OF HANGER           | Comfort or light platter                | Comfort or T-bar                        | Comfort or T-bar                        | Comfort or T-bar                        |
| RETURN STATION           | Tensioning                              | Fixed                                   | Fixed                                   | Tensioning                              |
| TENSIONING SYSTEM        | Counterweight                           | Hydraulic                               | Hydraulic                               | Counterweight                           |
| MAXIMUM TENSION          | Up to 4.5 T                             | Up to 5 T                               | Up to 9 T                               | Up to 25 T                              |
| TENSIONING SYSTEM TRAVEL | 1.5 m                                   | 1.5 m                                   | 2.5 m                                   | 3 m                                     |



# SURFACE LIFT





# TABLE OF CONTENTS

## 1 HANGER

|                          |     |
|--------------------------|-----|
| Manual rope grip.....    | 3   |
| Automatic rope grip..... | 4   |
| Hanger rod.....          | 5   |
| LST 200 springbox.....   | 6-7 |
| LST 260 springbox.....   | 8-9 |
| Comfort platter.....     | 10  |
| Light platter.....       | 11  |
| T-bar.....               | 12  |

## 2 LINE

|                               |    |
|-------------------------------|----|
| Wheel.....                    | 15 |
| 4 wheels sheave assembly..... | 16 |

## 3 SENSOR

|                               |    |
|-------------------------------|----|
| Euro drive station.....       | 17 |
| Euro return station.....      | 18 |
| Hydro 470 drive station.....  | 19 |
| Hydro 550 drive station.....  | 20 |
| Hydro LU1 return station..... | 21 |
| Hydro LU2 return station..... | 22 |
| LA drive station.....         | 23 |
| LA return station.....        | 24 |
| Non landing.....              | 25 |

## 4 TOOL

|           |    |
|-----------|----|
| Tool..... | 26 |
|-----------|----|


# 1 HANGER

---



# 1 HANGER

## Manual rope grip



### Type A - cable Ø12 to 19 mm

| Marker | Cat. no    | Designation    | Quantity |
|--------|------------|----------------|----------|
| ①      | LST-025769 | Rope grips*    | 1        |
| ②      | LST-001164 | Washer         | 1        |
| ③      | LST-001152 | Pressure pad*  | 1        |
| ④      | LST-001151 | Axle           | 1        |
| ⑤      | LST-025751 | Clamping body* | 1        |
| ⑥      | STD-000851 | Screw          | 1        |
| ⑦      | LST-025799 | Nut            | 1        |
| ⑧      | STD-001768 | Circlip        | 1        |

\* Specify diameter.

### Type BC - cable Ø19 to 26 mm


| Marker | Cat. no    | Designation    | Quantity |
|--------|------------|----------------|----------|
| ①      | LST-025802 | Rope grips*    | 1        |
| ②      | LST-001164 | Washer         | 1        |
| ③      | LST-025797 | Pressure pad*  | 1        |
| ④      | LST-025798 | Axle           | 1        |
| ⑤      | LST-025788 | Clamping body* | 1        |
| ⑥      | STD-000851 | Screw          | 1        |
| ⑦      | LST-025800 | Nut            | 1        |
| ⑧      | STD-001768 | Circlip        | 1        |

\* Specify diameter.



# 1 HANGER

## Automatic rope grip



| Type A - cable Ø12 to 19 mm |            |                 |          |
|-----------------------------|------------|-----------------|----------|
| Marker                      | Cat. no    | Designation     | Quantity |
| ①                           | LST-025791 | Rope grips*     | 1        |
| ②                           | LST-025777 | Clamping body*  | 1        |
| ③                           | LST-025779 | Axle            | 1        |
| ④                           | LST-001152 | Pressure pad*   | 1        |
| ⑤                           | LST-025789 | Spring          | 1        |
| ⑥                           | LST-025783 | Housing         | 1        |
| ⑦                           | LST-025781 | Housing's cover | 1        |
| ⑧                           | LST-025786 | Spring          | 1        |
| ⑨                           | STD-001764 | Circlip         | 1        |
| ⑩                           | LST-025784 | Nut             | 1        |
| ⑪                           | LST-001164 | Distance disc   | 1        |
| ⑫                           | STD-001768 | Circlip         | 1        |


\* Specify diameter.

| Type BC - cable Ø19 to 26 mm |            |                 |          |
|------------------------------|------------|-----------------|----------|
| Marker                       | Cat. no    | Designation     | Quantity |
| ①                            | LST-025792 | Rope grips*     | 1        |
| ②                            | LST-025793 | Clamping body*  | 1        |
| ③                            | LST-025779 | Axle            | 1        |
| ④                            | LST-025748 | Pressure pad*   | 1        |
| ⑤                            | LST-025790 | Spring          | 1        |
| ⑥                            | LST-025783 | Housing         | 1        |
| ⑦                            | LST-025781 | Housing's cover | 1        |
| ⑧                            | LST-025787 | Spring          | 1        |
| ⑨                            | STD-001764 | Circlip         | 1        |
| ⑩                            | LST-025784 | Nut             | 1        |
| ⑪                            | LST-001164 | Distance disc   | 1        |
| ⑫                            | STD-001768 | Circlip         | 1        |

\* Specify diameter.

# 1 HANGER

## Hanger rod



### Type 0 - LST 200

| Marker | Cat. no    | Designation   | Quantity |
|--------|------------|---------------|----------|
| ①      | LST-011091 | Hanger rod    | 1        |
| ②      | LST-025763 | Plastic bush* | 1        |

\* Bronze bush on demand.

### Type BC - LST 260

| Marker | Cat. no    | Designation   | Quantity |
|--------|------------|---------------|----------|
| ③      | LST-025766 | Hanger rod    | 1        |
| ④      | LST-025765 | Plastic bush* | 1        |

\* Bronze bush on demand.


### Type A - LST 260

| Marker | Cat. no    | Designation   | Quantity |
|--------|------------|---------------|----------|
| ③      | LST-025760 | Hanger rod    | 1        |
| ④      | LST-025763 | Plastic bush* | 1        |

\* Bronze bush on demand.

# 1 HANGER

## LST 200 springbox



| Marker | Cat. no       | Designation                   | Quantity |
|--------|---------------|-------------------------------|----------|
| ①-00   | LST-054162-00 | Springbox                     | 1        |
| ①-01   | LST-054162-01 | Springbox with rubber pin M16 | 1        |
| ①-02   | LST-054162-02 | Springbox adapter U-BA* 1     |          |

\* BA possible on demand.


| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ②      | LST-054098 | Sticker number     | 1        |
| ③      | LST-054096 | Rope Ø5 mm 500 m** | 1        |
| ④      | LST-025857 | Rubber pin M16     | 1        |
| ⑤      | 205949     | Adapter U-BA       | 1        |
| ⑥      | LST-025227 | Rubber pin         | 1        |

\*\* Cutting the rope is possible on demand.



# 1 HANGER

## LST 200 springbox







| Marker | Cat. no    | Designation       | Quantity |
|--------|------------|-------------------|----------|
| ①      | LST-026111 | Axle              | 1        |
| ②      | LST-026110 | Coil              | 1        |
| ③      | LST-026108 | Disc              | 1        |
| ④      | LST-026107 | Spring cover disc | 1        |
| ⑤      | LST-026106 | Disc              | 1        |

| Marker | Cat. no    | Designation                        | Quantity |
|--------|------------|------------------------------------|----------|
| ⑥      | LST-026105 | O-ring                             | 1        |
| ⑦      | LST-051867 | Cover for springbox without spring | 1        |
| ⑧      | LST-026117 | Spring                             | 1        |
| ⑨      | STD-001775 | Ball bearing                       | 1        |
| ⑩      | LST-054874 | Main housing with magnets          | 1        |

# 1 HANGER

## LST 260 springbox



| Marker | Cat. no       | Designation                   | Quantity |
|--------|---------------|-------------------------------|----------|
| ①-01   | LST-004543-01 | Springbox with rubber pin M16 | 1        |
| ①-03   | LST-004543-03 | Springbox adapter U-BA*       | 1        |
| ②      | LST-054099    | Sticker number                | 1        |
| ③      | LST-054097    | Rope Ø6 mm 500 m**            | 1        |


\* BA possible on demand.

\*\* Cutting the rope is possible on demand.

| Marker | Cat. no    | Designation  | Quantity |
|--------|------------|--------------|----------|
| ④      | LST-025857 | Adapter M16  | 1        |
| ⑤      | 205949     | Adapter U-BA | 1        |
| ⑥      | LST-025227 | Rubber pin   | 1        |

# 1 HANGER


## LST 260 springbox



| Marker | Cat. no    | Designation         | Quantity | Marker | Cat. no    | Designation         | Quantity |
|--------|------------|---------------------|----------|--------|------------|---------------------|----------|
| ①      | LST-005961 | Main housing        | 1        | ⑪      | STD-001774 | Circlip             | 1        |
| ②      | LST-001150 | Turbine cover       | 1        | ⑫      | STD-001776 | Ball bearing        | 1        |
| ③      | LST-001153 | Spring cover        | 1        | ⑬      | LST-025888 | O-ring seal         | 1        |
| ④      | LST-025918 | Spring cover disc   | 1        | ⑭      | LST-025889 | Turbine O-ring seal | 1        |
| ⑤      | LST-025915 | Disc                | 1        | ⑮      | LST-025890 | Housing O-ring seal | 1        |
| ⑥      | LST-025924 | Spring              | 1        | ⑯      | LST-025884 | Screw               | 1        |
| ⑦      | LST-025927 | White plastic prong | 1        | ⑰      | LST-025880 | Turbine wheel       | 1        |
| ⑧      | LST-025914 | Side disc           | 1        | ⑱      | LST-025881 | Plastic seal        | 1        |
| ⑨      | LST-025893 | Coil                | 1        | ⑲      | LST-001165 | Turbine housing     | 1        |
| ⑩      | STD-001773 | SPI seal            | 1        | ⑳      | LST-060649 | Turbo               | 1        |

# 1 HANGER

## Comfort platter



### M16 platter seat

| Marker | Cat. no       | Designation           | Quantity |
|--------|---------------|-----------------------|----------|
| ①-00   | LST-026124-00 | Platter seat 1500 mm* | 1        |
| ①-03   | LST-026124-03 | Platter seat 750 mm*  | 1        |
| ①-05   | LST-026124-05 | Platter seat 1700 mm* | 1        |
| ①-07   | LST-026124-07 | Platter seat 2000 mm* | 1        |
| ③      | LST-001215    | Seat                  | 1        |
| ④      | LST-026122    | Articulation          | 1        |

\* Other length available on demand.

### U-BA platter seat


| Marker | Cat. no       | Designation           | Quantity |
|--------|---------------|-----------------------|----------|
| ②-01   | LST-026124-01 | Platter seat 1500 mm* | 1        |
| ②-04   | LST-026124-04 | Platter seat 750 mm*  | 1        |
| ②-06   | LST-026124-06 | Platter seat 1700 mm* | 1        |
| ②-10   | LST-026124-10 | Platter seat 2000 mm* | 1        |
| ③      | LST-001215    | Seat                  | 1        |
| ④      | LST-026122    | Articulation          | 1        |

\* Other length available on demand.



# 1 HANGER

## Light platter




### Light platter

| Marker | Cat. no | Designation           | Quantity |
|--------|---------|-----------------------|----------|
| ①-00   | 205781  | Platter light 850 mm  | 1        |
| ①-01   | 205782  | Platter light 1277 mm | 1        |
| ①-02   | 205783  | Platter light 1500 mm | 1        |

# 1 HANGER

## T-bar



| M16* T-bar |               |                 |          |
|------------|---------------|-----------------|----------|
| Marker     | Cat. no       | Designation     | Quantity |
| ①-00       | LST-004541-00 | T-bar 1500 mm** | 1        |
| ①-01       | LST-004541-01 | T-bar 900 mm**  | 1        |
| ①-02       | LST-004541-02 | T-bar 750 mm**  | 1        |
| ③          | LST-025842    | Seat            | 1        |
| ④-00       | LST-054932-00 | Bar 1500 mm     | 1        |
| ④-01       | LST-054932-01 | Bar 900 mm      | 1        |
| ④-02       | LST-054932-02 | Bar 750 mm      | 1        |
| ⑥          | LST-001142    | Adjustment cam  | 1        |


\* M20 possible on demand.

\*\* Other length available on demand.

| U-BA T-bar |               |                 |          |
|------------|---------------|-----------------|----------|
| Marker     | Cat. no       | Designation     | Quantity |
| ②-00       | LST-027441-00 | T-bar 1500 mm** | 1        |
| ②-01       | LST-027441-01 | T-bar 900 mm**  | 1        |
| ②-02       | LST-027441-02 | T-bar 750 mm**  | 1        |
| ③          | LST-025842    | Seat            | 1        |
| ⑤-00       | LST-054934-00 | Bar 1500 mm     | 1        |
| ⑤-01       | LST-054934-01 | Bar 900 mm      | 1        |
| ⑤-02       | LST-054934-02 | Bar 750 mm      | 1        |


\*\* Other length available on demand.





# 2LINE

## Wheel




| Type A Ø250 mm* |            |                        |          |
|-----------------|------------|------------------------|----------|
| Marker          | Cat. no    | Designation            | Quantity |
| ①-00            | LST-004474 | Wheel - Alu            | 1        |
| ①-01            | LST-004473 | Wheel - Steel          | 1        |
| ②               | LST-000950 | Rubber ring            | 1        |
| ③               | LST-000951 | Spring ring            | 2        |
| ④               | LST-000967 | Spacer sleeve          | 1        |
| ⑤               | LST-000965 | Roller bolt-cover disc | 2        |
| ⑥               | LST-000678 | Ball bearing           | 2        |
| ⑦               | LST-000964 | Side disc              | 2        |
| ⑧               | LST-000975 | Axle                   | 1        |
| ⑨               | STD-001764 | Circlip                | 2        |
| ⑩               | STD-000541 | Nut                    | 1        |

| Type BC Ø250 mm |            |                        |          |
|-----------------|------------|------------------------|----------|
| Marker          | Cat. no    | Designation            | Quantity |
| ①-00            | LST-004476 | Wheel - Alu            | 1        |
| ①-01            | LST-004478 | Wheel - Steel          | 1        |
| ②               | LST-000979 | Rubber ring            | 1        |
| ③               | LST-000951 | Spring ring            | 2        |
| ④               | LST-000983 | Spacer sleeve          | 1        |
| ⑤               | LST-000982 | Roller bolt-cover disc | 2        |
| ⑥               | STD-000278 | Ball bearing           | 2        |
| ⑦               | LST-000964 | Side disc              | 2        |
| ⑧               | LST-013139 | Axle                   | 1        |
| ⑨               | STD-001201 | Circlip                | 2        |
| ⑩               | STD-001621 | Nut                    | 1        |

\* Type 0 Ø200 mm possible on demand.



## 4 wheels sheave assembly




| A-Type |            |                    |          |
|--------|------------|--------------------|----------|
| Marker | Cat. no    | Designation        | Quantity |
| ①      | LST-001013 | Axle               | 1        |
| ②      | LST-001001 | Axle               | 1        |
| ③      | LST-004471 | Rocker             | 2        |
| ④      | LST-000976 | Nut                | 1        |
| ⑤      | LST-000958 | Plastic bush       | 1        |
| ⑥      | LST-001016 | Plastic bush       | 1        |
| ⑦      | LST-004483 | Rocker             | 1        |
| ⑧      | LST-001050 | Clamp              | 1        |
| ⑨      | LST-004417 | Break fork support | 1        |
| ⑩      | LST-000533 | Break fork 122 mm  | 1        |

| BC-Type |            |                    |          |
|---------|------------|--------------------|----------|
| Marker  | Cat. no    | Designation        | Quantity |
| ①       | LST-001013 | Axle               | 1        |
| ②       | LST-001001 | Axle               | 1        |
| ③       | LST-004479 | Rocker             | 2        |
| ④       | LST-000999 | Nut                | 1        |
| ⑤       | LST-000958 | Plastic bush       | 1        |
| ⑥       | LST-001016 | Plastic bush       | 1        |
| ⑦       | LST-004483 | Rocker             | 1        |
| ⑧       | LST-001050 | Clamp              | 1        |
| ⑨       | LST-004417 | Break fork support | 1        |
| ⑩       | LST-000533 | Break fork 122 mm  | 1        |

# 3 SENSOR

## Euro drive station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 5        |
| ②      | LST-020855 | Break fork 200 mm  | 2        |
| ③      | LST-000533 | Break fork 122 mm  | 3        |
| ④      | LST-054104 | Emergency STOP     | 1        |

| Marker | Cat. no    | Designation    | Quantity |
|--------|------------|----------------|----------|
| ⑤      | LST-006336 | Non retraction | 1        |
| ⑥      | LST-005322 | Sensor         | 1        |
| ⑧      | LST-000340 | Speed sensor   | 2        |
| ⑨      | LST-000625 | Insulator      | 3        |

# 3 SENSOR

## Euro return station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 7        |
| ②      | LST-020855 | Break fork 200 mm  | 2        |
| ③      | LST-000533 | Break fork 122 mm  | 5        |
| ④      | LST-054104 | Emergency STOP     | 1        |

| Marker | Cat. no    | Designation    | Quantity |
|--------|------------|----------------|----------|
| ⑤      | LST-006336 | Non retraction | 1        |
| ⑥      | LST-005322 | Sensor         | 1        |
| ⑦      | LST-028316 | Broken Axle    | 1        |
| ⑨      | LST-000625 | Insulator      | 3        |

# 3 SENSOR

## Hydro 470 drive station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 4        |
| ③      | LST-000533 | Break fork 122 mm  | 4        |
| ④      | LST-054104 | Emergency STOP     | 1        |
| ⑤      | LST-006336 | Non retraction     | 1        |

| Marker | Cat. no    | Designation  | Quantity |
|--------|------------|--------------|----------|
| ⑥      | LST-005322 | Sensor       | 1        |
| ⑦      | LST-028316 | Broken Axle  | 1        |
| ⑧      | LST-000340 | Speed sensor | 2        |
| ⑨      | LST-000625 | Insulator    | 2        |

# 3 SENSOR

## Hydro 550 drive station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 5        |
| ③      | LST-000533 | Break fork 122 mm  | 5        |
| ④      | LST-054104 | Emergency STOP     | 1        |
| ⑤      | LST-006336 | Non retraction     | 1        |

| Marker | Cat. no    | Designation  | Quantity |
|--------|------------|--------------|----------|
| ⑥      | LST-005322 | Sensor       | 1        |
| ⑦      | LST-028316 | Broken Axle  | 1        |
| ⑧      | LST-000340 | Speed sensor | 2        |



# 3 SENSOR

## Hydro LU1 return station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 4        |
| ③      | LST-000533 | Break fork 122 mm  | 4        |
| ④      | LST-054104 | Emergency STOP     | 1        |

| Marker | Cat. no    | Designation | Quantity |
|--------|------------|-------------|----------|
| ⑥      | LST-005322 | Sensor      | 1        |
| ⑦      | LST-028316 | Broken Axle | 1        |
| ⑨      | LST-000625 | Insulator   | 2        |

# 3 SENSOR

## Hydro LU2 return station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 4        |
| ③      | LST-000533 | Break fork 122 mm  | 4        |

| Marker | Cat. no    | Designation    | Quantity |
|--------|------------|----------------|----------|
| ④      | LST-054104 | Emergency STOP | 1        |
| ⑨      | LST-000625 | Insulator      | 2        |

# 3 SENSOR


## LA drive station



| Marker | Cat. no    | Designation        | Quantity | Marker | Cat. no    | Designation  | Quantity |
|--------|------------|--------------------|----------|--------|------------|--------------|----------|
| ①      | LST-004417 | Break fork support | 1        | ⑥      | LST-005322 | Sensor       | 1        |
| ③      | LST-000533 | Break fork 122 mm  | 5        | ⑧      | LST-000340 | Speed sensor | 2        |
| ④      | LST-054104 | Emergency STOP     | 1        | ⑨      | LST-000625 | Insulator    | 2        |
| ⑤      | LST-006336 | Non retraction     | 1        |        |            |              |          |

# 3 SENSOR

## LA return station




| Marker | Cat. no    | Designation        | Quantity |
|--------|------------|--------------------|----------|
| ①      | LST-004417 | Break fork support | 1        |
| ③      | LST-000533 | Break fork 122 mm  | 3        |
| ④      | LST-054104 | Emergency STOP     | 1        |
| ⑤      | LST-006336 | Non retraction     | 1        |

| Marker | Cat. no    | Designation | Quantity |
|--------|------------|-------------|----------|
| ⑥      | LST-005322 | Sensor      | 1        |
| ⑦      | LST-028316 | Broken Axle | 1        |
| ⑨      | LST-000625 | Insulator   | 2        |


# 3 SENSOR

Non landing



| Marker | Cat. no    | Designation      | Quantity |
|--------|------------|------------------|----------|
| ①      | LST-021721 | Ripcord          | 1        |
| ②      | LST-060172 | Connection box   | 2        |
| ③      | LST-020722 | Female connector | 2        |

| Marker | Cat. no    | Designation    | Quantity |
|--------|------------|----------------|----------|
| ④      | LST-021729 | Male connector | 2        |
| ⑤      | LST-021767 | Pull rope      | 2        |
| ⑥      | LST-021722 | Stick          | 2        |



| Marker | Cat. no    | Designation                                                | Quantity |
|--------|------------|------------------------------------------------------------|----------|
| ①      | LST-028611 | Grip displacement device for A/BC spring pack type 1 grips | 1        |
| ②      | LST-025080 | Spring tensioning device type 200, with device body        | 1        |
| ③      | LST-025132 | Spring tensioning device type 260, with device body        | 1        |
| ④      | LST-010710 | Handle for LST 200 spring tensioning device                | 1        |
| ⑤      | LST-009511 | Device for rubber assembly - type A/BC                     | 1        |

| Marker | Cat. no    | Designation                      | Quantity |
|--------|------------|----------------------------------|----------|
| ⑥      | LST-039991 | Sheave mandril - type A/0 Ø20 mm | 1        |
| ⑦      | LST-039830 | Sheave mandril - type BC Ø25 mm  | 1        |
| ⑧      | LST-054102 | Mounting bracket for LST 200     | 1        |
| ⑨      | LST-054103 | Mounting bracket for LST 260     | 1        |



# NOTE

---

# NOTE

---

# NOTE

---

# OUR SUBSIDIARIES

## AUSTRIA - GERMANY

**MND Austria GmbH**

Eduard-Bodem-Gasse 10

A-6020 Innsbruck

**Contact :** mndaustria@mnd-group.com

## CHINA

**MND Beijing Technologies Co limited**

Room 232, Maison France Chine

Building 81, No.4

Workers Stadium North Road

Chaoyang District,

Beijing, P.R. CHINA 10027

**Contact :** mndchina@mnd-group.com

## SPAIN - ANDORRA - PORTUGAL

**MND Iberia**

Avenida Saloria Nº59

La seu d'urgell (25700) Llerida

España

**Contact :** mndiberia@mnd-group.com

## UNITED STATES

**MND America**

PO Box 2167

063 Eagle Park East Dr-Eagle

CO 81631

**Contact :** mndamerica@mnd-group.com

## ITALY

**MND Italia**

Via Camillo Golgi, 10

25064 Gussago (BS)

Italia

**Contact :** mnditalia@mnd-group.com

## SWEDEN

**MND Sverige**

Nifsåsvägen 11

83152 Östersund

**Contact :** mndsverige@mnd-group.com

## SWITZERLAND

**MND Swiss**

Route du Grand St Bernard 8b

1933 Sembrancher

**Contact :** mndswiss@mnd-group.com

## TURKEY

**MND Turkey**

Oguzlar Mah. 1364.Sok 2

10 Balgat

Ankara

**Contact :** mndturkey@mnd-group.com

# INTERNATIONAL PRESENCE

Find our distributors on our website [www.lst.eu](http://www.lst.eu)

 **DISTRIBUTION SUBSIDIARIES**  
**FOR OFFERS AND SERVICES IN OUR**  
**CUSTOMERS' LOCAL AREA**

**OVER 30 DISTRIBUTORS**  
**WORLDWIDE**

## **FRANCE AND OTHER COUNTRIES**

**LST**  
Parc d'Activités Alpespace  
74, Voie Magellan  
73800 Sainte Hélène du Lac - France  
Tel. : +33 (0)4 79 65 08 90  
E-mail : [contact@lst.eu](mailto:contact@lst.eu)

[www.lst.eu](http://www.lst.eu)

[www.lsturbanropeways.eu](http://www.lsturbanropeways.eu)

### **SALES**

**Contact :** [contact@lst.eu](mailto:contact@lst.eu)  
Tel. : +33 (0)4 79 65 08 90

### **AFTER SALES**

**Contact :** Camille BOUCHET-MARQUIS  
Tel. : +33 (0)6 12 59 09 76  
[services@lst.eu](mailto:services@lst.eu)





Parc d'Activités ALPESPACE - 74 Voie Magellan - 73800 Sainte Hélène du Lac - FRANCE  
Tél. : + 33 (0)4 79 65 08 90 - Fax : + 33 (0)4 79 65 08 91 - E-mail : [contact@lst.eu](mailto:contact@lst.eu)

**[www.lst.eu](http://www.lst.eu)**  
**[www.lsturbanropeways.eu](http://www.lsturbanropeways.eu)**

